## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently amended) An instrument (1) for high-precision or surgical applications of a minimally invasive nature, comprising:
  - a distally positioned directable head (2),
  - a shaft (3) upon which the head (2) is positioned[[,]]; and
  - a proximal end (4) equipped for operating the head (2),
- wherein a ring of cables (5) comprising longitudinally extending cables (6) connects to the head (2), which cables are fixedly secured in the radial direction, and characterised in that

wherein each cable (6) of the ring of cables (5) is disposed such that at least a part of both sides is in direct contact with another cable (6) of the ring of cables (5).

- 2. (Currently amended) An instrument according to claim 1, <del>characterised in that</del> wherein the ring of cables (5) is designed for mechanically coupling the head (2) to the handgrip (4).
- 3. (Currently amended) An instrument according to claim 2, characterised in that wherein the ends of at least some of the cables (6) of the ring of cables (5) possess a fastening to the head (2) and to the proximal end (4).
- 4. (Currently amended) An instrument according to claim 3, characterised in that wherein the fastening (9) is embodied as an interior ring (10) and an exterior ring (11), which together delimit a slot (12) for clampingly receiving the cables.

- 5. (Currently amended) An instrument according to one of the claim[[s]] 1[[-4]], characterised in that wherein the ring of cables (5) is enclosed by an exterior spring (7) lying against the cables (6) of the ring of cables (5).
- 6. (Currently amended) An instrument according to one of the claim[[s]] 1[[-5]], eharacterised in that wherein the ring of cables (5) is provided at its exterior side with a construction element selected from the group comprising consisting of glass fibres, cables, power cables, power cables surrounded by glass fibres, an optionally torsion-stiff tube or tubes, optionally with lateral scoring and optionally stranded, a bellows, a stent and a spring as specified in WO 02/13682.
- 7. (Currently amended) An instrument according to one of the claim[[s]] 1[[-6]], eharacterised in that wherein the ring of cables (5) is provided at its interior side with an interior spring (8) lying against the cables (6) of the ring of cables (5).
- 8. (Currently amended) An instrument according to one of the claim[[s]] 1[[-7]], characterised in that wherein the ring of cables (5) is provided at its interior side with a construction element that is selected from the group comprising consisting of a bundle of glass fibres, a cable, power cables, a power cable surrounded by a ring of glass fibres, an optionally torsion-stiff tube or tubes, optionally with lateral scoring and optionally stranded, bellows, a stent and a spring as specified in WO 02/13682.
- 9. (Currently amended) An instrument according to one of the claim[[s]] 1-6 and 8, eharacterised in that wherein the construction element lies against the cables (6) of the ring of cables (5).

- 10. (Currently amended) An instrument according to claim 8 or 9 wherein the construction element is a cable, characterised in that wherein on the head a grab jaw, scissors or clipping tongs are mounted and the cable is embodied as control cable therefor.
- 11. (Currently amended) An instrument according to claim 8 or 9 wherein the construction element comprises at least one power cable, characterised in that wherein a camera is mounted on the head and that the power cable serves for the power supply of the camera and/or for transporting image data obtained with the camera.
- 12. (Currently amended) An instrument according to one of the preceding claim[[s]] 1, characterised in that wherein the same is selected from the group comprising laparoscope, thoracoscope, colonoscope, gas- troscope, bronchoscope, endoscope, catheter, surgical drill, uretheroscope, laryngoscope, cystoscope, guidable endoscope, guidable drill, gripping tongs, clipping tongs, scissors, co- agulation hook, and generally instruments for ear, nose and throat surgery, eye surgery, neurosurgery and brain surgery.
- 13. (New) An instrument according to claim 6, wherein the construction element lies against the cables of the ring of cables.
- 14. (New) An instrument according to claim 6, wherein the construction element is a cable, wherein on the head a grab jaw, scissors or clipping tongs are mounted and the cable is embodied as control cable therefor.
- 15. (New) An instrument according to claim 6, wherein the construction element comprises at least one power cable, wherein a camera is mounted on the head and that the power

## Preliminary Amendment U.S. National Phase of PCT/NL2005/000001

Docket No. 6900-28

cable serves for the power supply of the camera and/or for transporting image data obtained with the camera.

## **REMARKS**

The foregoing Preliminary Amendment is made to modify the claims to conform to U.S. practice and to delete multiple dependencies. No new matter is added. Examination on the merits is respectfully requested.

Respectfully submitted,

Dated: 7-14-06

Docket No. 6900-28

J. Rodman Steele, Jr. Registration No. 25,931

Mark D. Passler

Registration No. 40,764

**AKERMAN SENTERFITT** 

Post Office Box 3188

West Palm Beach, FL 33402-3188

Tel: (561) 653-5000

6